

**DIRECTION ISOLATION ET REVETEMENTS
DIVISION HYGROTHERMIQUE DES OUVRAGES**

Chantraine Commerciale Sàrl.

Adresse :

Gruuss Strooss 30

9991 Weiswampach.

To the attention of Mr. Bertrand CHANTRAIN

CSTB, Champs sur Marne, January 8, 2016

DIR/HTO Sent by mail

Objet : Your request for review of ETA-10/0051

Dear Sir,

Your request for review of your ATE-10/0051 for your product reflecting "STARFLEX PRO" has been registered at CSTB.

The review process requires a preliminary review of the existing (CUAP) to EAD in accordance with the Construction Products Regulation (CPR). The process is in progress and was initiated within EOTA in 2014 to the review. Currently, the EAD draft is outstanding validation for publication in the European Official Journal.


Furthermore, we confirm that the technical characteristics of the product are still valuable for this revision, for example:

- Core thermal resistance thermique of product without air spaces :
 $R_D (\text{core}) = 0,22 \text{ m}^2 \cdot \text{K}/\text{W}$,
- thermal resistance thermique of product installed with 2 air spaces and with an angle of 45° relative to the horizontal :
 $R_s = 1,40 \text{ m}^2 \cdot \text{K}/\text{W}$
- The emissivity of the product for the two external faces is: $\varepsilon_D = 0,05$

Best regards,

Sincerelly

Hafiane CHERKAOUI



Technical assesement Engineer évaluation